Zhen 48"
Zhen 60"



MANUEL D'INSTALLATION / INSTALLATION MANUAL

IMPORTANT
- Inspecter le produit avant de procéderà l'installation.
- La garantie sera invalide si le produita été installé avec des défautsapparents.

ATTENTION
- Lors de l'installation.l'applicationde silicone doit être à l'extérieurde la douche, car si appliqué à l'intérieur,cela peut causer des fuitesd'eau !
- Veuiller lire attentivement ce manueld'instruction avant de commencerl'installation.
- Conserver ce manuel pour référenceultérieure.

IMPORTANT
- Thoroughly inspect your productbefore proceeding with the installation.
- The warranty will be void if the productis installed with a conspicuousdefect.

CAUTION
- To prevent leaks, silicone must beapplied on the outside of the showerand not on the inside!
- Read all instructions carefully beforestarting the installation.
- Save this manual for futurereference.

www.zitta.ca

CONTENU PORTE 48"/60" / PARTS LIST DOOR 48"/60"



Numéro	Qté	Description	48"	60"
1	1	Couvert d'extrusion mural Chrome Channel cap extrusion	PQ000102	PQ000102
2	1	Extrusion murale Chrome Chrome Wall Chanel	PA000102	PA000102
3	1	Joint de serrage Squeeze gasket	PJ000110	PJ000110
4	8	Cheville murale Wall anchor	PV000199	PV000199
5	8	Vis 1 5/8" tête plate 1 5/8" flat head screw	PV000299	PV000299
6	2	Ancrage chrome mural pour bar Chrome Wall bracket for bar	PQ000402	PQ000402
7	1	Bar de support Zhen chrome 46" Zhen 46" Chrome Support bar	PQ000502	PQ001002
8	1	Ancrage chrome 90 de joint pour bar Chrome 90 Join bar bracket	PQ000602	PQ000602
9	1	Panneau fixe claire Zhen 30" 10mm Zhen Clear Fix panel 30" 10mm	PG000320	PG000520
10	1	Porte claire Zhen 18" 10mm Zhen Clear Door 18" 10mm	PG000420	PG000620
11	1	Joint d'étanchéité pour panneau fixe Seal gasket for fix pannel	PJ000310	PJ000310
12	1	Penture chrome 18" Zhen Zhen Chrome hinge 18"	PH000102	PH000102

Numéro	Qté	Description	48"	60"
13	1	Poigné chrome 18" Zhen Zhen Chrome handle 18"	PP000102	PP000102
14	1	Joint de bas de porte Bottom door gasket	PJ000410	PJ000610
15	2	Ancrage chrome d'anti éclaboussure de panneau fixe Chrome Fix pannel bracket for backsplash	PQ000702	PQ000702
16	2	Ancrage chrome d'anti éclaboussure murale Chrome mural bracket for backsplash	PQ000802	PQ000802
17	1	Anti éclaboussure chrome Chrome back spash	PQ000902	PQ001102
18	1	Extrusion murale d'aimant chrome Chrome wall extrusion for magnet	PA000202	PA000202
19	1	Kit d'aimant pour extrusion mural Wall magnet kit for wall extrusion	PJ000510	PJ000510
20	1	Outil pour joint de serrage Squeeze gasket tool	PT000399	PT000399
21	1	Support d'installation pour vitre Glass Wedge spacer	PT000199	PT000199
22	1	Kit de clé Allan Allan key kit	PT000299	PT000299
23	1	Crochet de robe de chambre chrome Chrome Rope hook	AS00022	AS00022

CONTENU PANNEAU FIXE 32"/36" / PARTS LIST FIXED PANEL 32"/36"



Numéro / NO	Qté / Qty	Description / Description	Code
1	1	Couvert d'extrusion mural chrome / Channel cap extrusion	Pq000102
2	1	Extrusion Mural chrome / Chrome Wall Chanel	PA000102
3	1	Joint de serrage / Squeeze gasket	PJ000110
4	4	Cheville murale / Wall anchor	PV000199
5	4	Vis 1 5 /8 '' tête plate / 1 5/8" flat head screw	PV000299
6A	1	Panneau clair de retour 10 mm 32'' / Zhen Clear Return pannel 10 mm 32"	PG000120
6B	1	Panneau clair de retour 10 mm 36'' / Zhen Clear Return pannel 10 mm 36"	PG000220
7	1	Kit d'aimant 90° / Magnet kit 90°	PJ000210
8	1	Ancrage chrome de vitre pour barre / Glass Chrome bracket for glass	PQ000202
9	2	Ancrage chrome 90° pour anti éclaboussure / 90° Chrome bracket for back splash	PQ000302
10	1	Support d'installation pour vitre / Glass Wedge spacer	PT000199
11	1	Kit de clés Allan / Allan key kit	PT000299

PRÉPARATION/PREPARATION



OUTILS ET MATÉRIAUX REQUIS / TOOLS AND MATERIALS REQUIRED



PERCEUSE
DRILL

VIS
SCREWS



TOURNEVIS
SCREWDR



NIVEAU
LEVEL



COUTEAU DE PRECISION
PRECISION KNIFE

SILICONE
SILICONE



FORETS: 1/8", 3/16" ET 1/4"
*FORET À MAÇONNERIE
DRILL BITS: 1/8", 3/16" ET 1/4"
*MASONRY DRILL BIT



RUBAN À MESURER
MEASURING TAPE



ÉQUERRE
SET SQUARE

CRAYON
PENCIL

MAILLET
MALLET

INSTALLATION EXTRUSION MURALE / WALL JAMB INSTALLATION

For base installation refer to base installation manual

A 01



SUITE / CONTINUED

A 02



INSTALLATION PANNEAU FIXE / FIXED GLASS INSTALLATION

A 03



Insérer partiellement le joint de serrage. ajuster et serrer seulement à la fin de l'installation de la porte.

partially insert gasket. adjust & tighten at the end of door installation.



SUITE / CONTINUED

A 04











INSTALLATION ANTI-ECLABOUSSURE / BACKSPLASH INSTALLATION

A 05









SUITE / CONTINUED

A 06









SUITE / CONTINUED

A 07







INSTALLATION POIGNEE / HANDLE INSTALLATION

A 08









INSTALLATION AIMANTS / MAGNET INSTALLATION

A 09



INSTALLATION JOINTS / GASKET INSTALLATION

A 10



SILICONE / CAULKING

A 11







INSTALLATION EXTRUSION MURALE / WALL JAMB INSTALLATION

For base installation refer to base installation manual

B 01







SUITE / CONTINUED

B 02



INSTALLATION PANNEAU FIXE / FIXED GLASS INSTALLATION

B 03



Insérer partiellement le joint de serrage. ajuster et serrer seulement à la fin de l'installation de la porte.

partially insert gasket. adjust & tighten at the end of door installation.



SUITE / CONTINUED

B 04





INSTALLATION ANTI-ECLABOUSSURE / BACKSPLASH INSTALLATION

B 05





SUITE / CONTINUED

B 06









SUITE / CONTINUED

B 07







SUITE / CONTINUED

B 08





SUITE / CONTINUED

B 09





INSTALLATION JOINTS / GASKET INSTALLATION

B 10





SILICONE / CAULKING

B 11







INSTALLATION EXTRUSION MURALE / WALL JAMB INSTALLATION

For base installation refer to base installation manual

C 01



SUITE / CONTINUED

C 02



INSTALLATION PANNEAU FIXE / FIXED GLASS INSTALLATION

C 03



Insérer partiellement le joint de serrage. ajuster et serrer seulement à la fin de l'installation de la porte.

partially insert gasket. adjust & tighten at the end of door installation.



SUITE / CONTINUED

C 04





SUITE / CONTINUED

C 05





INSTALLATION ANTI-ECLABOUSSURE / BACKSPLASH INSTALLATION

C 06







SUITE / CONTINUED

C 07









SUITE / CONTINUED

C 08







SUITE / CONTINUED

C 09





INSTALLATION JOINTS / GASKET INSTALLATION

C 10





SUITE / CONTINUED

C 11





Ajuster porte et serrer joint de serrage.

Adjust door and tighten gasket.

SILICONE / CAULKING

C 12







Garantie / Warranty

Garantie	Baignoire / Douche
Acrylique	10 ans
Porte de Douche	5 ans
Roulette et Penture	à Vie

Warranty	Bathtub / Shower
Acrylic	10 years
Shower Door	5 years
Roller & Hinge	Lifetime

Suite aux conditions et aux termes décrits ci-dessous, Zitta garantit que le produit vendu est conforme à ses spécifications et qu'au moment de la vente, le produit est exempt de tout vice et/ou défaut de fabrication. Cette garantie n'est applicable que pour le premier acheteur-utilisateur et ce pour la première année à partir de la date d'achat. Cette garantie ne peut être transférée à une tierce personne. Cette garantie exclue tout frais relié au déplacement, frais d'installation et/ou désinstallation et aux frais de transport.

La présente garantie ne couvre pas les défauts ou bris résultant d'Acte de Dieu, d'accident, de catastrophe, d'abus, de négligence, d'une installation non conforme, de l'ajout ou de la suppression de pièce ou équipement,d'une mauvaise utilisation, de variation de température intense, d'exposition aux produits chimiques et a des abrasifs de tout genre ou de tache provoquée par différent type d'eau tel une eau ferreuse ou alcaline.

Zitta ne peut être tenu responsable des dommages directs ou indirect causés ou résultant de cas fortuits, des frais de main d'oeuvre, frais divers, perte de temps, matériaux ou autres coûts relatifs à l'application ou au remplacement du produit ou à l'une de ses composantes. Dans l'éventualité ou un défaut de fabrlcation se manifeste, l'acheteur utilisateur devra avoir suivi les instructions d'installation inscrites au manuel d'instruction, devra présenter une preuve d'achat ainsi qu'une preuve d'installation par un professionnel reconnupar l'industrie de la construction. Zitta pourra a son entière discrétion, réparer ou remplacer le produit sur une base au prorata du prix alors en vigueur. Zitta se réserve le droit de faire inspecter, sur le site, la défectuosité par un représentant de son choix. Aucun retour ne sera accepté sans l'autorisation au préalable de Zitta.

Entretien et prévention

Zitta recommande l'entretien des surfaces avec un chiffon humide et du savon doux. L'utilisation de produits abrasifs, grattoir, brosse ou tout autres objets pouvant endommager la surface du prodult est a proscrire et annulera la présente garantie. Vous référer à la section 《Nettoyage》 pour des directives spéclfiques d'entretien du fabricant.

Following the terms and conditions described below, Zitta warrants the product to be free from defects in workmanship from the date of purchase. This warranty applies to the initial date of purchase from an authorized dealer for the owner/end-user only. This warranty cannot be transferred to a third party. This warranty excludes any expenses related to shipping, handling and/or installation fees.

The present warranty does not cover the defects or breaking resulting from any Act of God, accident, catastrophe, abuse, negligence, improper installation, addition or removal of parts or equipment, of misuse, intensive variation of temperature, exposures to chemicals and/or abrasives of any kind, stains caused by different types of water such as ferrous or alkaline water.

Zitta cannot be held responsible for the direct or indirect damage caused by or resulting from fortuitous occurrences, from the expenses of sundries, labor, wastes of time, material or any other cost related to the application or the replacement of the product or one of its components. In the eventuality that a manufacturing defect appears, the owner/enduser must have followed the instructions of installation described in the installation manual, have in his possession the proof of purchase as well as a proof of installation by a professional recognized by the construction industry.

Zitta will, at its own discretion, repair or replace the product based on the selling price at the time of purchase. Zitta reserves the right to inspect, on site, the defect by a representative of its choice. Any return of goods will not be accepted without the written authorization from Zitta.

Maintenance and prevention

Zitta recommends the use of a wet cloth and soft soap for the maintenance of surfaces. The use of gritting scraper, brushes or any other scouring object which can damage the surface of the product is to be proscrlbed and will cancel the present warranty. Refer to the “Cleaning" section of the owner's manual for the manufacturer recommendations.

1556 Nationale Terrebonne J6W 6M1
Québec Canada
Tel: (450) 492-4242 1-855-492-4242
Fax: 1-866-735-6885
Info@zitta.ca
www.zitta.ca